



CRF[®]

SIZE	ART. NO.	EAN NO.
6	455-6	7340118313900
7	455-7	7340118313924
8	455-8	7340118313948
9	455-9	7340118313962
10	455-10	7340118313825
11	455-11	7340118313849

TEGERA[®] 455

Cut resistant glove, PU, palm-dipped, CRF[®] Technology, glass fibre thread, nylon, polyester, spandex, 13 gg, smooth finish, cut resistance level C, Cat. II, black, DMF (DMFa) free, breathable back, water and oil repellent palm, for fine assembly work

PROPERTIES

High level of protection, good fingertip sensitivity, extra flexible, very durable, good grip, perfect fit, extra comfortable, breathable, light

SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level C

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 11,1

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11

LINER MATERIAL CRF[®] Technology, glass fibre thread, nylon, polyester, spandex, 13 gg

DIPPING Palm-dipped

DIPPING MATERIAL PU

DEXTERITY 5

GRIP PATTERN Smooth finish

CUFF STYLE Knitwrist cuff

LENGTH RANGE 220 - 270mm

COLOUR Black

PAIRS PER PACKAGE/CARTON 6/60

PIECES PER BOX 6

DISPLAY Bulk pack

MATERIAL SPECIFICATION Polyurethane, HPPE, nylon, glass fibre thread

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X43C



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

TEGERA® 455

FEATURES

Cut resistant according to 388:2016 level C, DMF (DMFa) free, breathable back, pre-curved fingers, water and oil repellent palm, extra dense against dirt and particles

PREVENTS RISK OF

Cut injuries, abrasion injuries, grazes, scratches, lacerations, contact with dirt, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Cut risk environments, oily and greasy environments, dirty environments, harsh environments

PRIMARY AREAS OF USE

Assembly, inspection work, machine operating, building and construction, carpentry, installation work, sheet-metal work, engineering, transport work, warehouse work, airport work, glass industry work, wood industry work, repair work, rescue work, decontamination, sanitation

PRIMARY INDUSTRIES OF USE

Machinery and equipment, MRO, automotive, transportation, utilities, building and construction, logistics

TYPE OF WORK

Light weight

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 455

EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07
France

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	3	(4)
e) Cut resistance, EN ISO 13997 (N)	C	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X43C



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com